



CONTROL
WHEN IT
COUNTS



TORRENT FUNGICIDE

TORRENT 400SC is a group 21 anti-sporulating fungicide that prevents diseases caused by oomycete fungi in grapes and hops.

TORRENT 400SC is a highly effective and excellent preventative fungicide that controls downy mildew at all stages of the life cycle.





TORRENT PRODUCT DETAILS	
For use on:	Hops & Grapes
Active Ingredient:	Cyazofamid
Formulation:	Suspension concentrate
Packaging:	6 x 1 Litre container
Mode of Action:	Inhibits all stages of the oomycetes fungal development, including zoospore release and motility, mycelial growth, oospore formation, and zoospore formation
FRAC Group:	21
Key Pests Controlled:	Downy mildew

Benefits of Torrent 400 SC

- New chemistry for use on Downy mildew in Hops
- Low use rates – fewer containers to handle
- FRAC group 21 – excellent partner for IPM resistance management
- Exceptional disease suppression
- Strong rainfastness
- No adverse effects on yeast or microbial activity of fermentation system.



TORRENT APPLICATION GUIDELINES						
CROP	Disease	Recommendations	Spray Interval	Rate & Water Volume	REI	PHI
Hops	Downy mildew (<i>Pseudoperonospora humuli</i>)	Do not exceed 6 applications / crop cycle. Alternate foliar applications with a fungicide of different chemistry. Do not exceed 1 spray of group 21 fungicide out of every 3 applications.	7 – 14 days	0.15 – 0.2 L In at least 935 L water / Ha Do not exceed 1.2 L / Ha / season	12 hr.	3 days
Grapes	Downy mildew (<i>Plasmopara viticola</i>)	Do not exceed 6 applications / season. Alternate TORRENT 400SC with fungicides from a different cross-resistance group with satisfactory efficacy against downy mildew. Do not apply by air.	10 – 14 days	0.15 - 0.2 L / Ha in at least 400 L water / Ha	12 hr.	30 days

Torrent 400SC Agricultural Fungicide should be tank mixed with a non-ionic or organosilicone surfactant such as Xiameter, according to manufacturer's label recommendations.
 TORRENT is a registered trademark of Belchim Crop Protection Canada Inc.
 Always read and follow label directions

