



**NON STOP
ACTION
24/7**




SCORPIO ANT & INSECT BAIT

Scorpio is a soil applied insecticide containing spinosad in a highly compressed wheat pellet formulation that requires no mixing or spraying. It can be used around fruits, vegetables, ornamentals, flowers, turf and other sites.

Scorpio provides exceptional protection against many varieties of ants and cutworms, and limits damage caused by spotted wing drosophila and wireworm.

Scorpio is safe (approved for organic use), efficient (works 24 / 7 for up to 4 weeks) and effective (controls pests without the residue).



APPLICATION INFORMATION FOR SCORPIO

CROP	PEST	MAX APPS	PHI	RATE (KG per Ha)
Root & tuber vegetables <i>Garden beet, Sugar beet, Edible burdock, Celeriac, Turnip-rooted chervil, Ginseng, Horseradish, Turnip rooted parsley, Parsnip, Crop Group 1</i>	Ants	3	3 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
Root & tuber vegetables, <i>Potato, Sweet potato, etc. Arrowroot, Chinese artichoke, Jerusalem artichoke, Edible canna, Chufa, Dasheen (taro), True yam, Crop Group 1C</i>	Ants	2	7 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
Bulb vegetables <i>Onions, Garlic, Leek, etc. Crop Group 3-07</i>	Ants	3	3 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
Leafy vegetables (Field) <i>Lettuce, Spinach, Kale, etc. Crop Group 4-13</i>	Ants	3	3 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
<i>Lettuce (Greenhouse)</i>	Ants	3	2 days	6 - 45
Brassica head & stem vegetables <i>Broccoli, Cauliflower, etc. Cabbage Crop Group 5-13</i>	Ants	3	2 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
Legume vegetables <i>Bean, Peas, Lentils, etc. Crop Group 6</i>	Ants	2	3 - 28 days (see label)	6 - 45
	Black Cutworm Wireworm *			25 - 50
Fruiting vegetables (Field) <i>Tomato, Pepper, Eggplant, etc. Crop Group 8-09</i>	Ants	3	1 day	6 - 45
	Spotted wing drosophila*			35 - 45
	Black Cutworm Wireworm *			25 - 50
Fruiting vegetables (Greenhouse) <i>Peppers, Eggplant, Tomato</i>	Ants	3	2 days	6-45
Cucurbit vegetables <i>Cucumber, Squash, Pumpkin, etc. Crop Group 9</i>	Ants	3	3 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
Pome fruits <i>Apple, Pear, etc. Crop Group 11-09</i>	Ants	3	7 days	6 - 45
Tree Nuts <i>Crop Group 14-11</i>			14 days	
Stone fruits <i>Cherry, Peach, Plum, etc. Crop Group 12-09</i>	Ants	3	3 days except: Peaches & Nectarines 1 day	6 - 45
Grapes & berries <i>Grape, Blueberry, Raspberry, Strawberry, etc. Crop Subgroup 13-07</i>	Ants	3	3 days	6 - 45
	Spotted wing drosophila*			35 - 45
	Wireworm *			25 - 50
Stalk, stem & leaf petioles <i>Kohlrabi, Asparagus, Rhubarb Crop Group 22</i>	Ants	3	1 day except: Kohlrabi 3 days Asparagus 60 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
<i>Sweet corn</i>	Ants	3	7 days	6 - 45
	Black Cutworm Wireworm *			25 - 50
Outdoor ornamentals, & lawns	Ants	4	NA	6 - 45
	Black Cutworm Wireworm *			25 - 50
Around perimeter of buildings	Ants			6 - 45

* Suppression

Always read and follow label directions
SCORPIO is a trademark of W. Neudorff GmbH KG

SCORPIO TECH INFO
Active Ingredient: Spinosad
Mode of Action: Neural Mechanism
Formulation: Granular
Packaging: 20 KG bag
IRAC Group: 5

