

2024-0103
2025-11-28

Homeplate Total Vegetation Killer

HERBICIDE
COMMERCIAL

EMULSIFIABLE CONCENTRATE
NON-SELECTIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

WARNING— EYE AND SKIN IRRITANT
POTENTIAL SENSITIZER
PROTECT FROM FREEZING

ACTIVE INGREDIENTS: Caprylic Acid 46.24%, Capric Acid 33.66%

REG. NO. 35716 PCP ACT

NET CONTENTS 1L - 1000 L

Registrant:

W. Neudorff GmbH KG, An der Mühle 3,
31860 Emmerthal, Germany

Canadian Agent:

Neudorff North America
PO Box 178
Brentwood Bay, BC V8M 1R3
Telephone: (250) 652-5888

2024-0103
2025-11-28

Homeplate Total Vegetation Killer is a fast-acting, non-selective, broadleaf and grass weed, algae and moss killer. It does not translocate and only burns the parts of the plants that are contacted by the spray solution. Good coverage is essential. This product controls many common annual weeds (such as annual bluegrass, barnyard grass, common chickweed, common groundsel, common knotweed, common lamb's-quarters, common purslane, common ragweed, giant ragweed, large crabgrass, petty spurge, redroot pigweed, shepherd's-purse and wild mustard) and some small perennial weeds, and suppresses the growth of larger biennial and perennial weeds (such as broadleaf plantain, common yarrow, creeping buttercup, dandelion, English daisy, false dandelion, field horsetail, narrow-leaved plantain, Pacific poison-oak, perennial ryegrass, red clover, Robert's geranium, white clover, yellow nutsedge and yellow woodsorrel), and suppresses the growth of larger biennial and perennial weeds. For use in and around all food and non-food crops and in cultivated areas prior to planting grass, flowers, and vegetables. Areas can be re-planted as soon as desirable level of weed control is obtained.

DIRECTIONS FOR USE

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Field sprayer application: DO NOT apply when wind speed is less than 1 km/h. Avoid application of this product when winds are gusty. DO NOT apply with sprays finer than the American Society of Agricultural and Biological Engineers (ASABE) S572 (572.1 to 572.3) Coarse classification. Boom height must be 60 cm or less above the crop or ground.

If desirable vegetation is accidentally sprayed immediately rinse with water.

Treated areas may be slippery when wet.

Shake well before and during use. Dilute with water using the chart below as a guide. Use the 3% solution for small broadleaf weeds, less than 12 cm tall, and for moss and algae. Use the 3-6% solution for control of grasses and larger broadleaf weeds, including burndown of perennial species. Use the 5-9% solution for burndown of larger perennial weeds, vines, brush, and for sucker control. Use sufficient volumes to thoroughly spray weeds, typically 300-3700 L/ha (3-37 L/100m²). In situations where weed pressure is high and/or weeds are larger than 12 cm, higher rates and volumes within the stated range are advised for acceptable control.

Any standard sprayer can be used, including machine and backpack. Do not apply this product by air. Do not apply this product through any type of irrigation system. Spray weed thoroughly, using a coarse nozzle setting to reduce drift. Thorough coverage is extremely important. Avoid spraying desirable plants. For spot treatment of individual weeds, apply the mixed solution to the center of plant to the point of runoff. Plant damage will be visible from a few hours to 2 days after spraying. Repeat treatment as needed to control new weeds growing from seed and re-growth from biennial and perennial weeds. Thoroughly wash equipment after use.

Homeplate Total Vegetation Killer can be used any time during the year and works best during warm and dry conditions. Application during cold weather may delay appearance of plant damage. If rain falls within 3 hours of treatment, an additional spray may be required. Two to four applications per year is a typical use scenario. Up to eight or ten applications per year are permitted for certain crops with high weed pressure, or fields where multiple crops per year are grown (e.g., leafy vegetables). Broadcast treatments must only be made when the field is completely bare. Otherwise treatments are spot treatments or selective treatments between rows. Except for cannabis and Industrial hemp (grown for extracts), this product may be applied up to and including the day of harvest (pre-harvest interval (PHI)= 0 days).

2024-0103
2025-11-28

Desired volume of spray solution	Amount of Homeplate Total Vegetation Killer per volume of water		
	3% solution	6% solution	9% solution
1 L	30 mL	60 mL	90 mL
4 L	120 mL	240 mL	360 mL
10 L	300 mL	600 mL	900 mL
50 L	1.5 L	3 L	4.5 L
100 L	3 L	6 L	9 L
400 L	12 L	24 L	36 L

Tank Mixing:

This product may be tank mixed with registered pest control products, whose labels also allow tank mixing, provided the entirety of both labels, including Directions For Use, Precautions, Restrictions, Environmental Precautions, and Spray Buffer Zones are followed for each product. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed. Do not tank mix products containing the same active ingredient unless specifically listed on this label.

In some cases, tank mixing pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact Neudorff North America at info@neudorff.ca for information before applying any tank mix that is not specifically recommended on this label.

Use Sites: Outdoors and Greenhouses -

For use in and around all food and non-food crops, including but not limited to:

Crop	Use method
Crop group 1: Root and tuber vegetables (arracacha, arrowroot, artichoke (Chinese and Jerusalem), beet (garden, sugar), edible burdock, edible canna, carrot, casava (bitter, sweet), celeriac (celery root), chayote (root), turnip-rooted chervil, chicory, chufa, dasheen (taro), ginger, ginseng, horseradish, leren, turnip-rooted parsley, parsnip, potato, radish, oriental (daikon) radish, rutabaga, salsify (oyster plant, black, Spanish), skirret, sweet potato, tanier (cocoyam), turmeric, turnip, yam bean (manioc pea jicama), true yam)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray 6. Harvest Aid and Desiccation
Bulb vegetables (chive, garlic, green onion, leek, onion, shallot)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray (annual crops) 6. Harvest Aid and Desiccation
Leafy vegetables (arugula, celery, cress, dandelion, endive, fennel, lettuce, mustard greens, parsley, rhubarb, spinach, Swiss chard)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray (annual crops)
Brassica (Cole) leafy vegetables (bok choy (pak choy), broccoli, brussel sprouts, cauliflower, cabbage, Chinese broccoli, collards, gai choy, kale, mustard greens, Napa cabbage, rape greens, tah tsai)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray (annual crops)

2024-0103
2025-11-28

Legume vegetables (bean, lentil, pea, soybean)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray 6. Harvest Aid and Desiccation
Fruiting vegetables (bell pepper, eggplant, okra, pepper, tomatillo, tomato)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray
Cucurbit vegetables (cantaloupe, citron melon, cucumber, gourd, honeydew, muskmelon, pumpkin, squash, watermelon, zucchini)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray
Pome fruits (apple, crab apple, pear, quince)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 5. Sucker Control, Pruning and Trimming
Stone fruits (apricot, cherry, nectarine, peach, plum, prune)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 5. Sucker Control, Pruning and Trimming
Small fruit and berries (blackberry, boysenberry, blueberry, currant, elderberry, gooseberry, grape, loganberry, raspberry, strawberry, tayberry, cranberry)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 5. Sucker Control, Pruning and Trimming
Tree nuts (black walnut, butternut, chestnut, filbert, hickory nut, heartnut, pecan, pine nut, walnut)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 5. Sucker Control, Pruning and Trimming
Cereal grains (barley, buckwheat, corn, millet, oats, popcorn, rice*, rye, sorghum, quinoa, wheat, wild rice)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray
Non-grass animal feeds (alfalfa, clover)	<ol style="list-style-type: none"> 1. Vegetation Burndown 3. Pre Application 4. Post-Harvest Spray
Oilseed (flax seed, mustard seed, rape seed (canola), safflower, sesame, sunflower seed)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray 6. Harvest Aid and Desiccation
Stalk, stem and leaf petioles (asparagus, celery, fennel, fern, kohlrabi, palm hearts, rhubarb)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray (annual crops)
Herbs (angelica, basil, chamomile, catnip, chive, cilantro, dill, fenugreek, lavender, lemon balm, lemongrass, lovage, marjoram, mint, oregano, parsley, perilla, fennel, rosemary, sage, savory, sweet bay, tarragon, thyme)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray (annual crops)
Spices (anise, caraway, celery seed, coriander, cumin, dill seed, fennel, mustard seed, poppy seed, saffron)	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray (annual crops)

2024-0103
2025-11-28

<p>Other crops: cannabis grown indoors in enclosed structures and field grown cannabis , hops, pawpaw, peanut, tobacco, Industrial hemp.</p> <p>DO NOT apply past the vegetative stage of growth for cannabis and Industrial hemp (grown for extracts).</p>	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Post-Harvest Spray (annual crops) 5. Sucker Control, Pruning and Trimming
<p>Terrestrial Non-Food Crops (ornamental herbaceous plants, ornamental lawns and turf, bedding plants, ornamental woody shrubs, vines, ornamental shade trees, Christmas trees, forestry sites)</p>	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 5. Sucker Control, Pruning and Trimming 7. Structural and Building Applications
<p>Terrestrial Non-Crop Sites (around and on buildings, sidewalks, fences, trees, bark mulch, driveways and other right-of-ways, patios, gravel, on structures holding flowers, trees, shrubs, vines and vegetables, landscaped areas, lawns, and on and around buildings and structures, such as benches, walls, floors, and roofs in commercial, residential, institutional, recreational and industrial sites; athletic fields, golf courses, railways; fallow land, forages and pastures, uncultivated land)</p>	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 5. Sucker Control, Pruning and Trimming 7. Structural and Building Applications
<p>Greenhouse (all crops, plants, and structures)</p>	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre Application 4. Structural and Building Applications

*Do not apply when fields are flooded.

Use Methods

1. Vegetation Burndown: General control of broadleaf and grass weeds, algae and moss for site preparation and non-crop areas. Spot treatments may be used in crop and pasture situations. Apply in and around desirable plants, avoiding contact with foliage and green bark.
2. Directed and Shielded Sprays: Apply around desirable plants, avoiding contact with foliage and green bark.
3. Pre Application: Prior to planting or post planting, prior to emergence of plants from seed, perennial rootstocks, and bulbs, tubers etc. Ensure applications are made before new growth or crop emerges from soil or damage will occur.
4. Post-Harvest Spray: Control of broadleaf and grass weeds, moss and algae growing in fields after the commodity has been harvested.
5. Sucker Control, Pruning and Trimming: Burn back and control epicormic shoots, sucker growth, and other unwanted growth on woody trees, foliage growth on vines, excessive cane growth in brambles, or other listed use sites. Apply only to unwanted vegetative parts. Apply before suckers become woody.
6. Harvest Aid and Desiccation: To remove leaves of plants prior to harvest and/or burndown of weeds to facilitate harvest. Harvest aid and desiccation uses include applications to root and tuber vegetables, bulb vegetables and seed crops. Applications must be made at least 24 hours prior to harvest to ensure full burndown.

2024-0103
2025-11-28

7. Structural and Building Applications: To control broadleaf and grass weeds, moss and algae in and around buildings and structures such as benches, walls, floors, and roofs.

PRECAUTIONS: PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. KEEP OUT OF REACH OF CHILDREN. Causes eye irritation. DO NOT get in eyes. May irritate skin. Avoid contact with skin. Potential skin sensitizer. Use only in well-ventilated areas. **DO NOT** eat, drink or smoke/vape while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum/tobacco, smoking/vaping, or using the toilet. Vehicle cabs must be decontaminated regularly.

Personal Protective Equipment (PPE)

Application equipment and engineering controls	Personal protective equipment	
	Mixer/Loader/Cleanup and Repair	Applicator
Groundboom -Closed cab	Long-sleeved shirt, long pants, chemical-resistant gloves, protective eyewear (goggles or face-shield), socks and shoes.	Long-sleeved shirt, long pants, socks and shoes.
Groundboom - Open-cab		Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes and protective eyewear (goggles or face shield) during open-cab application .
All other handheld equipment - fine to very coarse spray ¹		Long-sleeved shirt, long pants, chemical-resistant gloves, socks, and shoes and protective eyewear (goggles or face shield).

¹ Wear protective eyewear (goggles or face shield), head protection when applying above waist height, including overhead.

If the product comes in contact with clothing/PPE, remove all contaminated clothing/PPE, wash with soap and water and dress in clean clothing. Wash the outside of gloves with soap and water before removing. Launder contaminated clothing/PPE regularly and separately from other laundry.

Preharvest Interval (PHI): The harvest of food crop part(s) is permitted on the day of application.

Restricted-Entry Interval (REI): DO NOT enter or allow worker entry into treated areas for 4 hours or until sprays have dried.

2024-0103
2025-11-28

ENVIRONMENTAL PRECAUTIONS

Toxic to non-target terrestrial plants

To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative filter strip between the treated area and the edge of the water body. Additional guidance can be found on the Runoff Mitigation portion of the Canada.ca website.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

STORAGE

Store in original container in a cool, dry, well-ventilated area. Store this product away from food or feed. Protect from freezing.

DISPOSAL

For recyclable containers:

Disposal of container: DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsate to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial or territorial requirements.

Disposal of unused, unwanted product: For information on disposal of unused, unwanted product, contact the registrant or the provincial or territorial regulatory agency. Contact the registrant and the provincial or territorial regulatory agency in case of a spill, and for clean up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

2024-0103
2025-11-28

Marketing statements that may or may not be present on the final product label or labels:

- non-selective herbicide
- Total vegetation killer
- Eliminates unwanted vegetation quickly
- Eliminates unwanted weeds quickly
- non-selective, post-emergent herbicide for use in and around food and non-food crop areas
- provides control of annual and perennial broadleaf weeds and grasses
- Areas can be re-planted as soon as desirable level of weed control is obtained.
- works best on newly emerged, actively growing broadleaved weeds
- Kills within hours
- Kills [Controls] Weeds, Grass, Algae and Moss
- For Weeds on Roofs, Decks, Patios, Walks, Bricks, and Cement
- Fast Acting [Weed, Grass, Moss and Algae Killer]
- Do not spray on lawns or desirable plants
- Treats [will treat] up to XXX m².
- Makes XXX litres of Finished Spray.
- For use [on] [in] [around] [along]: patios, walkways, driveways, flower beds, vegetable gardens, shrubs, trees, fences, foundations, other areas of your yard.
- Peel back for instructions
- Press to reseal
- See inside booklet for First Aid and Precautionary Statements
- Sold under a license of W. Neudorff GmbH KG

